



Print this Calibration Test page first!

Size: Height: 170.00, Bust: 90.00, Waist: 68.50, Hips: 95.00
Pattern Name: -


Notes

HOW TO PRINT



Printing

1. Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.



Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.



Taping

1. Group each sheet by the second number marked on each page i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc.
2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Pattern Name: -

Seam Allowance: 1.00 (0.39 in)

Pattern pieces:

- | | |
|--|--|
| 1, PANTS FRONT, MAIN FABRIC: Cut 2 | 6, OUTER POCKET BAG, MAIN FABRIC: Cut 2 |
| 2, PANTS BACK, MAIN FABRIC: Cut 2 | 7, FLY FACING, MAIN FABRIC: Cut 1 |
| 3, WAISTBAND, MAIN FABRIC: Cut 1, FUSIBLE INTERFACING: Cut 1 | 8, FLY INTERFACING, FUSIBLE INTERFACING: Cut 1 |
| 4, WELT, MAIN FABRIC: Cut 2, FUSIBLE INTERFACING: Cut 2 | |
| 5, INNER POCKET BAG, LINING: Cut 2 | |


Pattern Specs (Circumferences are divided by 2):




- | | |
|---|---|
| 1. Pocket entry length 11.62 (4.57 in) | 12. Back rise 39.19 (15.43 in) |
| 2. Waistline pocket position 5.01 (1.97 in) | 13. Crotch height 27.91 (10.99 in) |
| 3. Side seam pocket position 1.52 (0.60 in) | 14. Inseam length 74.25 (29.23 in) |
| 4. Pocket width welt 3.00 (1.18 in) | 15. Pants side seam length 102.85 (40.49 in) |
| 5. Fly zipper length 23.00 (9.06 in) | 16. Waistband length 34.95 (13.76 in) |
| 6. Waist 34.95 (13.76 in) | 17. Waistband width 2.00 (0.79 in) |
| 7. Low hips 47.99 (18.89 in) | 18. Button diameter 1.00 (0.39 in) |
| 8. Thigh 29.79 (11.73 in) | 19. Waistband buttons quantity 1.00 (0.39 in) |
| 9. Knee 22.71 (8.94 in) | 20. Pocket bag height 16.40 (6.46 in) |
| 10. Bottom opening 29.47 (11.60 in) | |
| 11. Front rise 28.79 (11.33 in) | |




Paper Size: A4;

Print Actual Size (100% Scale);









1/2


2

PANTS BACK

MAIN FABRIC: Cut 2









OUTER POCKET BAG
MAIN FABRIC: Cut 2

1






2/1





2/2



2/3


2/4






3/1

3/2



3/3

3/4




4
WELT
MAIN FABRIC: CUI 2
FUSIBLE INTERFACING: CUI 2

4"x 4"

101.5mm x 101.5mm

If measurements are not
correct, please re-print it
with print settings set on
Actual or 100% Scale


3/5



4/1





4/2




4/3

4/4









SIDE SEAM

5/2





5/4

END VIEW

