



Print this Calibration Test page first!

Size: Height: 176.00, Bust: 112.00, Waist: 100.00, Hips: 108.40
Pattern Name: -


Notes

HOW TO PRINT



Printing

1. Once your Calibration Test Page has been printed, measure the 4"x 4" (10cm) scale box with a ruler. If the lengths match, you can confidently print your pattern. If the rulers do not match, set your print settings to 100% or Actual and retry.



Cutting

Your printouts will always have a dashed border to perfectly match your sheets. Cut off the right edge of each page. Be careful not to cut beyond the dashed mark, otherwise your patterns will not align accurately.



Taping

1. Group each sheet by the second number marked on each page i.e. in a group 1, there are: 1/1, 2/1, 3/1, 4/1, etc. In a group 2: 1/2, 2/2 etc.
2. Place page 1/1 on top of the page 2/1, overlapping the right side edge. Match corners and crosses and secure with a pin or tape. Then use a scotch tape to permanently attach the sheets together.



Pattern Name: -

Seam Allowance: 1.00 (0.39 in)

Pattern pieces:

- | | |
|--|--|
| 1, BACK, MAIN FABRIC: Cut 1 | 8, YOKE, MAIN FABRIC: Cut 2 |
| 2, SLEEVE, MAIN FABRIC: Cut 2 | 9, UPPER POCKET FLAP, MAIN FABRIC: Cut 4, |
| 3, CUFF, MAIN FABRIC: Cut 4, FUSIBLE | FUSIBLE INTERFACING: Cut 4 |
| INTERFACING: Cut 4 | 10, UPPER PATCH POCKET, MAIN FABRIC: Cut 2 |
| 4, COLLAR STAND, MAIN FABRIC: Cut 2, | 11, OVERLAP BINDING, MAIN FABRIC: Cut 2, |
| FUSIBLE INTERFACING: Cut 2 | FUSIBLE INTERFACING: Cut 2 |
| 5, COLLAR, MAIN FABRIC: Cut 2, FUSIBLE | 12, UNDERLAP BINDING, MAIN FABRIC: Cut 2 |
| INTERFACING: Cut 2 | |
| 6, FRONT RIGHT, MAIN FABRIC: Cut 1 | |
| 7, FRONT LEFT, MAIN FABRIC: Cut 1 | |


Pattern Specs (Circumferences are divided by 2):

- | | |
|--|---|
| 1. Center front upper pocket position 5.74 (2.26 in) | 23. Upper pocket button diameter 0.70 (0.28 in) |
| 2. Waistline upper pocket position 11.88 (4.68 in) | 24. Upper pocket height 12.10 (4.76 in) |
| 3. Upper pocket entry length 11.00 (4.33 in) | 25. Upper pocket flap width 11.40 (4.49 in) |
| 4. Armhole front 26.30 (10.35 in) | 26. Collar buttons quantity 1.00 (0.39 in) |
| 5. Armhole yoke 9.63 (3.79 in) | 27. Collar button diameter 0.70 (0.28 in) |
| 6. Armhole back 22.59 (8.89 in) | 28. Stand height 3.90 (1.54 in) |
| 7. Shoulder width 16.49 (6.49 in) | 29. Stand length 42.03 (16.55 in) |
| 8. Across shoulders 46.79 (18.42 in) | 30. Collar width 4.70 (1.85 in) |
| 9. Neck opening 15.08 (5.94 in) | 31. Collar edges length 8.22 (3.24 in) |
| 10. Front neck drop 7.61 (3.00 in) | 32. Collar length 43.73 (17.22 in) |
| 11. Neckline length 45.09 (17.75 in) | 33. Sleeve length 56.03 (22.06 in) |
| 12. Front length from HPS to hem 77.42 (30.48 in) | 34. Sleeve cap length 48.83 (19.22 in) |
| 13. Across chest 61.60 (24.25 in) | 35. Armhole length 58.52 (23.04 in) |
| 14. Center front length to hem 69.81 (27.48 in) | 36. Sleeve upper arm width 8.96 (3.53 in) |
| 15. Center back length to hem 76.14 (29.98 in) | 37. Sleeve opening 26.43 (10.41 in) |
| 16. Across back 47.06 (18.53 in) | 38. Decor button diameter 0.50 (0.20 in) |
| 17. Side seam 49.10 (19.33 in) | 39. Decor buttons quantity 2.00 (0.79 in) |
| 18. Waist 58.50 (23.03 in) | 40. Cuff button diameter 0.70 (0.28 in) |
| 19. Hemline sweep 61.20 (24.09 in) | 41. Cuff buttons quantity 4.00 (1.57 in) |
| 20. Button diameter 0.70 (0.28 in) | 42. Cuff width 8.00 (3.15 in) |
| 21. Front buttons quantity 7.00 (2.76 in) | 43. Cuff length 28.10 (11.06 in) |
| 22. Upper pocket buttons quantity 2.00 (0.79 in) | |




Paper Size: A4;


Print Actual Size (100% Scale);



6

FRONT RIGHT
MAIN FABRIC: Cut 1








FRONT LEFT

MAIN FABRIC: Cut 1

1/3







1/5


8


YOKE


MAIN FABRIC: Cut 2


4


COLLAR STAND
MAIN FABRIC: Cut 2
FUSIBLE INTERFACING: Cut 2












2/4




3


CUFF

MAIN FABRIC: Cut 4


FUSIBLE INTERFACING: Cut 4

2/5





2/7



3/1

3/2




I

3/3

I


3/4





SLEEVE

MAIN FABRIC: Cut 2

4/1









1

BACK


MAIN FABRIC: Cut 1

4 1/4






4/5



5/1



$5/2$


5/3


5/4

5/5

CUT ON FOLD

6/1






6/4





6/5



FOLD

7/2



7/3